

PID Controller Design for Two Link Flexible Manipulator

Mahamood R. M.^{1*}, Aweda J.O¹, Ajao K.R.¹, Popoola O. T.¹ and Odusote J.K²

¹Department of Mechanical Engineering, University of Ilorin, Nigeria.

²Department of Materials and Metallurgical Engineering, University of Ilorin, Nigeria.

*Corresponding Author-Email: mahamoodmr@unilorin.edu.ng or mahamoodmr2009@gmail.com

ABSTRACT

Flexible Link Manipulator Systems (FLMs) is more favoured in the industries when compared to the rigid link manipulator, the reason for this include: their light weight, the ease with which they can be manipulated, they consume less energy because of their light weight, and they can be manipulated faster when compared to their rigid counterpart. Despite all these advantages, controlling flexible system can pose a lot of challenges because of the distributed nature of such flexible systems. In this research work, a traditional proportional, integral derivative (PID) control system was designed for two-link flexible manipulator. The two-link robot manipulator was modelled using Lagrange and assumed mode method. The control law was developed and tested in Matlab/Simulink environment. The performance of the designed controllers is evaluated in terms of input tracking capability, energy utilization, and deflection suppression and vibration control. This study shows that a simple traditional PD/PID controller can be effectively designed for two link flexible manipulators for point to point motion control and vibration suppression.

Keywords: Flexible link manipulator, Matlab/Simulink, PID control, Step input signal, Traditional control law.

1. INTRODUCTION

In space exploration for instance, robot is required to be light in weight due to the space and weight restriction issues. The advantages of using a lighter weight manipulator as against the rigid link manipulator include: higher manipulation speed, less power consumption, they require less material for their construction, they required smaller actuator, and they are easily maneuverable and can easily be transported anywhere [1]. By making the weight of the manipulator to be lighter has resulted in the flexibility of the manipulator that makes the modeling of such a system to become very cumbersome. The dynamic behaviour of such a system is usually described by partial differential equation that is characterized by infinite dimensional distributed parameters with non-minimum phase property [2]. This complex model that is generated by such a flexible system is often truncated to reduce the complexity that it will pose on the controller design. Truncating such model in order to simplify the controller design process will affect the performance of the model based controller in real time operation because; the unmodelled part of the system that creates a ripple effect on any small error in the control system which will result in the collapse of such a system.

Against this background, the controlling of any Flexible Link Manipulation System is very challenging as a result of the flexible modes. The control of single link flexible manipulator is less challenging when compared to their two-link flexible manipulator counterpart, this is because of its simpler structure. This is not true with two-link flexible manipulator because of the complexity of the system dynamics and the highly coupled nature of this dynamics that makes the control of such a system more challenging.

Different control techniques have been applied to the flexible link manipulator systems in the literature [1-10], they include: Proportional Integral Derivative (PID) control, robust control, adaptive control and intelligent control. Of all these control methods, PID control is the most widely used industrial control system [11] because of their simple control structure, the ease of implementation and they are cheap [12]. The PID controller gains are usually tuned to suit certain operating condition and after tuning, these gains are kept at these values until the operating condition changes and are tuned again. The success of the simple PID control system is dependent on how carefully the control gains are tuned. If the gains are carefully tuned and effectively tuned, the

steady state error can be greatly reduced. In order to maintain accurate input tracking, there is need to have a controller that is able to account for the rigid motion (tracking) and the flexible motion (vibration).

In this present work, a simple and effective PID control law was designed for two-link flexible manipulator. The control algorithm was designed to control the rigid motion as well as the flexible modes (deflections and vibrations). The control system was divided into two, namely: the Proportional Derivative (PD) controller and the PD-PID controller. The PD controller was used to regulate the rigid body motion, while the PID controller was used to regulate the fast motion dynamics (vibration). The proposed control law was used to track a reference trajectory (step input signal). An extensive study was performed on the proposed control law through simulation in

Matlab/Simulink environment. The dynamic model of the two-link flexible manipulator was developed by De Luca and Siciliano [13] using the Lagrange and the assumed mode method.

The rest of the paper is organized as follows: In Section 2 the mathematical model of the planar two-link flexible manipulator is presented. The designing of the control law is presented in Section 3. Section 4 provides a comprehensive simulation results and discussion of results. The concluding remarks are presented in section 5.

1. MATHEMATICAL MODELLING

The mathematical model used in this study was developed by De Luca and Siciliano [13] using Lagrange and Assumed mode method. The diagram of the planar two-link flexible manipulator used in this study is shown in Fig. 1.




Fig. 1. The Planar Two-Link Flexible Manipulator [14].

The two links were modelled as Euler-Bernoulli beam with proper clamped-mass boundary conditions. The small elastic deflection is assumed and the motion is assumed to be restricted to the plane of the rigid motion. The compact closed-form dynamic equation of the two arms as developed by De Luca and Siciliano [13] is given by:

$$B(q)\ddot{q} + h(q, \dot{q}) + K(q) = \tau \quad (1)$$

$$q = f(\theta, \delta) \quad (2)$$

Where θ is a n-vector of joint coordinates and the δ is a m-vector of the link deformation coordinates.

Let $N = n + m$

Then $q(\theta, \delta)$ is the N-vector that characterizes the arms configuration.

B is a $N \times N$ positive definite symmetric inertial matrix.

h is a N-vector containing the Coriolis and the centrifugal forces.

K is a diagonal stiffness matrix.

The detailed derivation of the mathematical model can be found in [13].

2. CONTROLLER DESIGN

The objective of the proposed controller is for the two-link hub angles to follow the reference trajectories as accurately and as quickly as economically possible. Two controllers are required for each of the two links namely: the collocated controller (the PD controller) to control the rigid body motion and the non-collocated controller (the PID controller) to control the flexible dynamics (i.e. the deflection and the tip vibration). The two controllers need to operate simultaneously. Therefore, there are two stages involved in the control system: stage one is the

The manipulator was to track a step input and at the same time to suppress the end-effector vibration. The gain parameters of the controller were first tuned using the Ziegler-Nichols procedure but the results achieved were poor because, two link flexible manipulator is a highly open loop unstable system. Thereafter the gains were tuned manually in two stages as described below:


3.1 Stage 1.

At the beginning of the tuning process, all the PID controllers were turned off; and the PD controller for the link 2 is also turned off. Then the proportional gain of the link 1 was tuned simultaneously with the derivative gain of the link 1. Unlike the Ziegler-Nichols procedure, where the proportional gain is tuned until there is overshoot in the system, two link flexible manipulator is a highly unstable system; this method does not work well for the gain tuning for such unstable system. According to Yun et al. [15] for optimum performance of the PID controllers, the gains: K_P , K_I and K_D must be tuned jointly. Also, Eriksson and Wikander [16] observed that manual tuning is still the most favoured method despite different types of tuning methods available. At certain point, the derivative of the link 2 PD controller has to be tuned to be able to further tune the link 1 PD controller in order to obtain a satisfactory performance. This is because of the coupling effect in the system. The PD gains are shown in Table 2.

3.2 Stage 2.

After achieving a good motion tracking in stage one, then the PID controller for link 1 is turned on and systematically tuned. Tuning of the PID gains tend to degrade the perfect tracking initially obtained in stage 1. After some few trials the PID gains in table 3 are achieved.

Results of the effect of these gains on link 1, link 2, and their performance indices are shown in fig. 3, 4 and 5 respectively. Two cases are presented from the tuning of the gains to investigate their effect on performance index. From the performance evaluation investigated and as shown in Table 4, it is observed that the proposed PD/PID control scheme is not different from other control strategies because there is always a trade off in the performance specification requirements. By comparing Fig. 3 and Fig.4, it was observed that if a smoother tracking is desired, the tradeoff will be in energy requirement by the actuators to achieve the task. It can be seen that the performance index in case study 1 is higher than that of case study 2 because of the extra energy required in obtaining the better tracking in case study 2. The overall performance of the proposed controllers is very good at different gain values as the performance indices in the two case studies are less than 1.






Figure 3. Case study 1. The step Input response of the two-link flexible manipulator




Fig. 4. Case study 2. The step Input response of the two-link flexible manipulator

Table 2. PD control gains

Case Study	PD gains			
	Link 1		Link 2	
	K_p	K_v	K_p	K_v
Case 1	0.548	0.513	0.059	0.212
Case 2	1.114	1.152	0.252	0.424

Table 3. PID control gains

Case study	PID gains					
	Link 1			Link 2		
	K_p	K_i	K_v	K_p	K_i	K_v
Case 1	1.982	0.00012	2.412	0.132	0.111	1.496
Case 2	0.211	0.0011	1.501	0.104	0.110	1.511

Table 4. Performance index

Performance index	
Case study 1	0.9342
Case study 2	0.6488

CONCLUSION

A PD/PID controller has been successfully designed for a two link flexible manipulator to track a step input trajectory and the links deflections and vibrations has been successfully controlled using a combination of PD and PID controllers. The designed controller was tested in Matlab/Simulink simulation environment. The Performance of the proposed controllers has also been investigated using a performance index. The results show that the proposed controllers are very efficient in the midst of the complexity imposed by the two link flexible manipulator.

REFERENCES

1. Dwivedy, S.K. and Eberhard, P. Dynamic Analysis of Flexible Manipulators, A Literature Review, *Mechanism and Machine Theory*, vol. 41, no. 7, 2006, pp. 749-777.
2. Tokhi, M. O. and Azad, A. K. M. *Flexible Robot Manipulators -Modelling, Simulation and Control*, Institution of Engineering and Technology, London, 2008.
3. Azad, A. K. M. *Analysis and design of control mechanisms for flexible manipulator systems*, PhD thesis, Department of Automatic Control and Systems Engineering, The University of Sheffield, UK, 1994.
4. Poerwanto, H. *Dynamic Simulation and Control of flexible manipulator systems*, PhD thesis, Department of Automatic Control and Systems Engineering, The University of Sheffield, UK, 1998.
5. Sutton, R. P., Halikias, G. D., Plummer A. R. and Wilson, D. A. Modelling and H_∞ control of a single-link Flexible Manipulator, *Proceeding of the Instn Mech Engrs*, 1998, vol. 213 Part 1, pp. 85-104.

6. Mahamood M.R., Direct Adaptive Hybrid PD-PID Controller for Two-Link Flexible Robotic Manipulator, Lecture Notes in Engineering and Computer Science: Proceedings of The World Congress on Engineering and Computer Science 2012, WCECS 2012, 24-26 October, 2012, San Francisco, USA, pp. 1127-1132
7. Ho, M. T. and Tu, Y. W. PID controller design for a flexible link manipulator, *Proceedings of the 44th IEEE Conference on Decision and Control and European Control Conference*, 2005, pp. 6841 – 6846.
8. Maouche, A.R. and Meddahi, H. Adaptive Neural Control of a Two-Link Flexible Manipulator, *Advances in Information Science and Computer Engineering*, 2015, pp. 247-254.
9. Karagülle, H., Malgaca, L., Dirilmiş, M., Akdağ, M and Yavuz, Ş. Vibration control of a two-link flexible manipulator, *Journal of Vibration and Control*, 2015, doi:10.1177/1077546315607694
10. Mahamood M.R. and Pedro J. O. Hybrid PD/PID Controller Design for Two-Link Flexible Manipulators, *Proceedings of the 8th Asian Control Conference (ASCC), Kaohsiung, Taiwan, 2011*, pp. 1358-1363.
11. De Luca, A. and Panzieri, S. An iterative scheme for learning gravity compensation in flexible robot arms, *Automatica*, 1994, vol. 30(6), pp.993-1002.
12. Ang, K. H., Chong, G. and Li, Y. PID control system analysis, design, and technology, *IEEE Transactions on Control Systems Technology*, Vol. 13, No. 4, 2005, pp. 559 – 576.
13. De Luca, A. and Siciliano, B. closed-form dynamic model of planar multilink lightweight robots, *IEEE Transactions on Systems, Man and Cybernetics*, Vol. 21, No. 4, 1991, pp. 826 – 839.
14. R.M. Mahamood. (2014). Adaptive Controller Design for Two-Link Flexible Manipulator. *Transactions on Engineering Technologies*. H.K.Kim (Haeng Kon Kim, Sio-Iong Ao, Mahyar A. Amouzegar, Burghard B. Rieger) et al.(eds) 115-128. Springer.
15. Yun L., Kiam, H.A. and Chong, G.C.Y. (2006), "PID control system analysis and design", *Control Systems Magazine, IEEE*, vol. 26(1), pp. 32-41.
16. Eriksson, E. and Wikander, J. (2002), "Robust PID design of flexible manipulators through pole assignment", *2002.7th International Workshop on Advanced MotionControl*, pp. 420-425.